


# Patient Repositioning *at the Push of a Button*




**EasyBoost™**  
**Patient Repositioning System**



# Boost Patients up to 800 lbs at the Push of a Button

- ▶ Eliminate physical strain for nursing staff
- ▶ Can boost with bed flat or at 40-degree angle
- ▶ Save time with single-caregiver operation




# Repositioning for Pressure Injury Prevention

EasyBoost Sheet has integrated lift loops for lateral rotation:



## Evaporative Capacity



Testing performed by an accredited third-party laboratory.  
Full reports available upon request: [info@senecadevices.com](mailto:info@senecadevices.com)

# Facility Testimonial

EasyBoost is one of the most effective and impactful clinical solutions we've implemented. It's rare to find a device that not only enhances patient care but is also embraced enthusiastically by our nursing staff for daily use.

**Among the many technologies we've evaluated, EasyBoost clearly ranks in the top 5%—making our team's job easier and care delivery more efficient.**

– James Rosenman, CEO & Administrator

## Product Specifications and Ordering Information

### EasyBoost Sheet Options

**Disposable Sheet SKU:** ESB-DIS-2027 (Box of 12)

Safe Working Load 800 lbs (Boosting), 650 lbs (Lateral Rotation)

Sheet is not rated for hoisting or out-of-bed transfer

**Launderable Sheet SKU:** ESB-RES-2029 (Box of 12)

Safe Working Load 500 lbs (Boosting and Lateral Rotation)


Service Life for Sheet 100 laundry cycles (chlorine bleach not recommended due to discoloration)

### EasyBoost Device Specifications

**Standard Unit:** ESB-400 (400 lbs capacity)

**Bariatric Unit:** ESB-800 (800 lbs capacity for boosting, lift loops rated for 650 lbs)

Electrical Compliance ANSI/AAMI ES60601-1:2005/(R)2012  
CAN/CSA C22.2 No. 60601-1-14 (2018)  
IEC 60601-2-52 (2015)  
IEC 60601-1-6 Edition 3.1(2013)



## SCHEDULE A DEMONSTRATION

[info@senecadevices.com](mailto:info@senecadevices.com)

1-844-473-6322